	Application No.	Applicant(s)
Notice of Allowability	10/658,372	sнокі, тѕитоми
	Examiner	Art Unit
	John Ruggles	1756
The MAILING DATE of this communication apperature of the communication apperature of the communication apperature of allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communicati IGHTS. This application is subject	application. If not included ion will be mailed in due course. THIS
1. 🔀 This communication is responsive to the 8/6/07 Substitute	AF Amendment.	
2. ⊠ The allowed claim(s) is/are <u>15-21</u> .		
 3. Acknowledgment is made of a claim for foreign priority uses a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have the certified copies of the certified copies o	e been received. e been received in Application No.	
International Bureau (PCT Rule 17.2(a)).		.,
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		ly complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftspers	son's Patent Drawing Review (PT	O-948) attached
1) hereto or 2) to Paper No./Mail Date	•	
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5. ☐ Notice of Informal	I Potent Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summa	• •
	Paper No./Mail D 7. ⊠ Examiner's Amen	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ☐ Examiner's Stater 9. ☐ Other	ment of Reasons for Allowance

Application/Control Number: 10/658,372

Art Unit: 1756

DETAILED ACTION

The previous rejections and objections are withdrawn in view of (A) the current 8/6/07 substitute after final amendment (following the notice of appeal) with accompanying remarks (now entered) and (B) the Examiner's amendment set forth below.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Alan Kasper on 8/13/07.

IN THE SPECIFICATION:

In the currently amended *abstract* at line 8 (see page 5 of the current 8/6/07 substitute after final amendment), correct "reflection films" (plural) to --reflection films film-- (singular), which better corresponds with each earlier antecedent basis reference to a reflection film.

At page 14, in the 5th paragraph, lines 1-2, change the language "the pattern on the absorber layer" to --[[the]] a pattern [[on]] in the absorber layer--, which is consistent with similar changes previously made at various locations in the specification.

At page 15, [Example 1], in the 1st paragraph, line 3, change the expression "mask blank 101" to --mask blank 101--, which better corresponds with the language in line 5 of this same paragraph.

Application/Control Number: 10/658,372

Art Unit: 1756

At page 16, in the 2nd paragraph, line 4, change "multilayer reflection film 13 [12] was formed" to --multilayer reflection film 13 [12] 12 was formed-- that corrects ambiguity with respect to Figure 1A in which item 12 refers to the multilayer reflection film (this is also confirmed by line 1 of this same paragraph).

At page 17, in the 2nd full paragraph, lines 2-3, change "lapse of every predetermined number of days" to --lapse of every a predetermined number of days--.

At page 18, in the 4th full paragraph, line 1, change "resist pattern as a mask" to --resist pattern as [[a]] an etching mask--, to clarify and differentiate that this resist mask is *not* a reflection mask.

At page 19, in the 2nd full paragraph, line 11, correct "conformed" to --conformed confirmed--.

At page 24, in the 2nd paragraph, line 1, change the language "pattern on the absorber layer" to --pattern [[on]] in the absorber layer--, which is consistent with similar changes previously made at various locations in the specification.

Allowable Subject Matter

Claims 15-21 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Ruggles whose telephone number is 571-272-1390. The examiner can normally be reached on Monday-Thursday and alternate Fridays.

Page 4

Application/Control Number: 10/658,372

Art Unit: 1756

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on 571-272-1385. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

NAVAN F. MUTT SUPERVISORY PATENT EXAMINED TECHNOLOGY CENTER 1799

Mars I. Will

jsr